



Perbadanan Harta Intelek Malaysia
Intellectual Property Corporation of Malaysia

Unit 1-7, Ground Floor, Menara UOA Bangsar, No. 5, Jalan Bangsar Utama 1,
 59000 Kuala Lumpur. Tel: +603-2299 8400 Fax: +603-2299 8989
 Website: <http://www.myipo.gov.my>



TRADEMARK DETAILS


Disclaimer: The information available is not intended to be comprehensive information, Perbadanan Harta Intelek Malaysia (MyIPO) shall not be liable to any consequences of errors or omissions.

Application number	: TM2023008199	Date Gazetted:	:
Application Date	: 22 Mar 2023	Date Registered	:
Legal Status	: Under Substantive Examination	Date of Cert. Issued	:
Date of Legal Status	: 07 Jun 2023	Expiry date	:
Nature of Mark	: Word		
Type of Registration	: Trademark		
Transliteration	:		
Translation	:		
Disclaimer/Condition	REGISTRATION OF THIS TRADEMARK SHALL GIVE NO RIGHT TO THE EXCLUSIVE USE OF THE WORDS "MENTAL" AND "HEALTH" SEPARATELY EXCEPT AS SHOWN IN THE REPRESENTATION ON THE FORM OF APPLICATION.		

Applicant:
 Tongle Group Holding Sdn Bhd
 Default Address: 708 & 710 Block A, Kelana
 Centre Point,, Petaling Jaya, Selangor 47301,
 Malaysia

Correspondence Address:
 Phoon Chiy Hin
 Default Address: c/o CH Phoon & Associates,
 E-13-20, Plaza Mont Kiara, No. 2, Jalan Kiara,
 Mont Kiara, Wilayah Persekutuan, Kuala Lumpur
 50480, Malaysia

Mark:



Mark Description:

Color Condition:

Classes and list of Goods and Services: Class 41

Arranging and conducting of conferences, conventions, educational exhibitions, classes, lectures, seminars and workshops; arranging and conducting of conferences, conventions, educational exhibitions, classes, lectures, seminars and workshops [training]; arranging and conducting of workshops and seminars in personal awareness; conducting workshops and seminars; consultancy relating to arranging and conducting of workshops [training]; arranging and conducting of educational courses.

Date Printed : 22 Jun 2023
Printed By : Phoon Chiy Hin

Note: This document is computer generated and no signature is required.

